

TECHNICAL NOTE

JBA Project Code	2023s1135
Contract	Sevenoaks District Council Level 1 SFRA
Client	Sevenoaks District Council
Date	July 2024
Author	Harriet Freestone BSc (Hons)
Reviewer / Sign-off	Ed Hartwell BSC MSc MCIWEM C.WEM
Subject	Review of Southern Water's DWMP

1 Introduction

Water companies were required to publish Drainage Water Management Plans (DWMPs) for river basin catchments across England as part of the Environment Act. Southern Water has recently published their DWMP. This provides a wider geographical extent of information on sewer flood risk than has previously been available. In doing this, the DWMP's include risk assessment and mapping which could potentially be used in the proposed land use planning prioritisation process and could potentially be perceived as being appropriate for consideration in the Sequential and Exception Tests. As this is a matter that could be raised at Examination this review is performed to understand the nature of the DWMP mapping and data that is now available and the extent to which it can appropriately be used to support the preparation of the Sequential Test. The intention is that this review is used to support consultation with Southern Water so formal confirmation can be given to the proposed methods and approach used in the preparation of the SFRA and the Plan.

2 Southern Water DWMP

2.1 Background

The DWMP describes the basis for long term investment proposals by Southern Water that span for more than 25 years and set out the commitment needed to make wastewater systems safe and secure.

Southern Water's plan contains substantive volumes of mapping, information and data that has not previously been made available by water companies. The focus is on planning for the future, so customer flooding is reduced. However, this is only for a 2% Annual Exceedance Probability (AEP) event. By comparison, fluvial and surface water modelling already used within the Sequential Test is for the 3.3%, 1% and 0.1% AEP events.

As set by Water UK, Southern Water have prepared a regional (Level 1) DWMP which is supported by plans for each of the 11 River Basin Catchments (Level 2 DWMP) and wastewater systems (Level 3 DWMP). Sevenoaks District Council is located within Southern Water's Medway river basin catchment.

2.2 DWMP Objectives

The planning objectives in the DWMP assess the current and future performance of the drainage and wastewater systems and identify where action and/or future investment is required. The performance is considered as a risk where failure could have an impact on people and/or the environment. A total of 14 objectives were identified by Southern Water to assess (the first six are nationally agreed objectives):

- 1 Internal Sewer Flooding
- 2 Pollution
- 3 Sewer collapse
- 4 Flooding in a 1 in 50-year storm
- 5 Storm overflows
- 6 Wastewater Treatment Works Quality Compliance T

TECHNICAL NOTE

JBA Project Code	2023s1135
Contract	Sevenoaks District Council Level 1 SFRA
Client	Sevenoaks District Council
Date	July 2024
Author	Harriet Freestone BSc (Hons)
Reviewer / Sign-off	Ed Hartwell BSC MSc MCIWEM C.WEM
Subject	Review of Southern Water's DWMP

- 7 Annualised flood risk
- 8 Wastewater Treatment Works Dry Weather Flow compliance
- 9 Good Ecological Status / Potential
- 10 Surface water management
- 11 Nutrient Neutrality
- 12 Groundwater pollution
- 13 Bathing Waters
- 14 Shellfish Waters.

Further details can be found here:

<https://www.southernwater.co.uk/dwmp/planning-objectives>

2.3 Risk Based Catchment Screening

As part of the DWMP, a risk based catchment screening (RBCS) exercise was completed, where existing, readily available data was used to identify where there is a current and/or potential risk or vulnerability in the wastewater system to future changes, such as new residential development or changes in climate.

The screening exercise informed the scope of the Baseline Risk and Vulnerability Assessment (BRAVA) enabling comparison across wastewater systems based on different levels of risk. However, as some catchments have been screened out through the RBCS, the BRAVA does not provide an assessment of the entire Medway river basin catchment.

2.4 Baseline Risk and Vulnerability Assessment

Southern Water conducted a BRAVA to understand their current system performance and future vulnerabilities. This includes substantial volumes of mapping, information and data that has not previously been made available. Further details regarding the BRAVA methodology can be found here:

<https://www.southernwater.co.uk/dwmp/baseline-risk-and-vulnerabilityassessment>

As part of the BRAVA, each wastewater system was provided a result for each of the 14 planning objectives listed in Section 2.2 using the following grades:

- Not flagged
- Not applicable
- Not significant
- Moderately significant
- Very significant

A table was prepared outlining the results which can be found here:

<https://www.southernwater.co.uk/media/4254/medway-wastewater-systems.pdf>

Southern Water produced maps showing the results of the BRAVA for each of the DWMP planning objectives listed in Section 2.2.

The BRAVA results indicate that pollution, storm overflows and flooding due to hydraulic overload are the main concerns for the Medway river basin catchment.

TECHNICAL NOTE

JBA Project Code	2023s1135
Contract	Sevenoaks District Council Level 1 SFRA
Client	Sevenoaks District Council
Date	July 2024
Author	Harriet Freestone BSc (Hons)
Reviewer / Sign-off	Ed Hartwell BSC MSc MCIWEM C.WEM
Subject	Review of Southern Water's DWMP

Further investment will be needed in the future to increase the capacity of Southern Water's treatment works to accommodate new homes and businesses.

3 Implications

The implications of the DWMP BRAVA data are outlined below:

- It is understood that the BRAVA table and mapping have been prepared for the purpose of Long-Term Investment Planning and not for the sequential placement of new development. The mapping shows where certain wastewater systems would require investment. However, as there is no certainty about any potential investment and the benefits this may bring, it is not necessarily possible to conclude that this should be used as the basis for the Sequential Test.
- The BRAVA results provide one risk category for each wastewater system, the actual level of risk within the areas shown might potentially vary substantially and thus the spatial resolution might not be appropriate for use in a comparative analysis of specific sites. The data resolution used as part of the DWMPs does not appear to be comparable to the river and sea flooding information and thus could not easily be used alongside the existing data and mapping on a site-specific basis.
- The data provided on Southern Water's website is not provided in GIS format, which would be required to undertake the site screening as part of the Level 1 SFRA.
- It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.

4 Implications of the BRAVA Products

4.1 Introduction

As noted in Section 2.2, the DWMP has a number of objectives. As such there are several BRAVA products. Although we understand that these products are not influential to the Sequential Test, they might have implications for other planning considerations which are outside the scope of this report.

4.2 Summary of Implications

A summary of the implications of the BRAVA products is outlined in Table 4-1. The national guidance document for the production and reporting of DWMPs requires a risk band to be determined for a number of planning objectives both now and into the future with a 25 year horizon taking account of the impact of population growth, climate change and urban creep. The calculated risk band is to be assigned and reported to the whole wastewater system leading to a wastewater treatment works. The level of granularity required for the DWMP therefore does not lend itself to a Level 1 SFRA assessment and it is recommended that the DWMP output is not considered at Level 1 stage.

All data is provided on a sewer catchment basis.

TECHNICAL NOTE

JBA Project Code
 Contract
 Client
 Date
 Author
 Reviewer / Sign-off
 Subject

2023s1135
 Sevenoaks District Council Level 1 SFRA
 Sevenoaks District Council
 July 2024
 Harriet Freestone BSc (Hons)
 Ed Hartwell BSC MSc MCIWEM C.WEM
 Review of Southern Water's DWMP

Table 4-1: Implications of the BRAVA products

BRAVA Product	Implication	Action
Internal Sewer Flooding	A risk category is assigned to each sewer catchment based on historical incidents, flood mitigation schemes and data on sewer connections. Although this is potentially informative, it is not clear that the spatial resolution is appropriate for use in the Sequential Test.	The flood risk predictions for the DWMP are identified from full catchment hydraulic models where available. these models will predict flood risk at a greater granularity than that reported in the DWMP. It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Pollution	Data sources include historic pollution incidents and sewer length. Could have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Sewer Collapse	Data is based on Historic Sewer Collapse and Rising Main Burst Data and sewer length. This could be useful information in terms of flood risk. However, the spatial resolution is not appropriate for use in the Sequential Test.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.

TECHNICAL NOTE

JBA Project Code
 Contract
 Client
 Date
 Author
 Reviewer / Sign-off
 Subject

2023s1135
 Sevenoaks District Council Level 1 SFRA
 Sevenoaks District Council
 July 2024
 Harriet Freestone BSc (Hons)
 Ed Hartwell BSC MSc MCIWEM C.WEM
 Review of Southern Water's DWMP



BRAVA Product	Implication	Action
Flooding in a 1 in 50-year storm	Data sources include population growth and planned development, climate change, hydraulic models, urban creep and historical flooding. Although this is useful information in terms of flood risk, the spatial resolution is not appropriate for use in the Sequential Test.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Storm Overflows	Data is based on event and duration monitoring, time series rainfall, population growth and new development, urban creep, environmental designations and combined sewer overflow investigations. Again, although this is useful information in terms of flood risk, the spatial resolution is not appropriate for use in the Sequential Test. These datasets could also have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Wastewater Treatment Works Quality Compliance	Data is based on WTW Compliance, WTW Capacity Assessment, Population Growth, Asset Risk Management. Although this is useful information in terms of flood risk, the spatial resolution is not appropriate for use in the Sequential Test. These datasets could also have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.

TECHNICAL NOTE

JBA Project Code
 Contract
 Client
 Date
 Author
 Reviewer / Sign-off
 Subject

2023s1135
 Sevenoaks District Council Level 1 SFRA
 Sevenoaks District Council
 July 2024
 Harriet Freestone BSc (Hons)
 Ed Hartwell BSC MSc MCIWEM C.WEM
 Review of Southern Water's DWMP



BRAVA Product	Implication	Action
Annualised flood risk	Data sources include population growth and planned development, climate change, hydraulic models, Urban Creep, historical flooding. Although this is useful information in terms of flood risk, the spatial resolution is not appropriate for use in the Sequential Test.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Wastewater Treatment Works Dry Weather Flow compliance	Data is based on permitted dry weather flow, per capita consumption of water, baseline dry weather flow, infiltration and future dry weather flow projection. Again, although this is useful information in terms of flood risk, the spatial resolution is not appropriate for use in the Sequential Test. These datasets could also have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Good Ecological Status / Potential	Data sources include Water Framework Directive, Wastewater Treatment Works and Sewer Overflow locations, Wastewater Treatment Works tertiary plant capacity and Water Industry National Environment Programme. These datasets could have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.

TECHNICAL NOTE

JBA Project Code
 Contract
 Client
 Date
 Author
 Reviewer / Sign-off
 Subject

2023s1135
 Sevenoaks District Council Level 1 SFRA
 Sevenoaks District Council
 July 2024
 Harriet Freestone BSc (Hons)
 Ed Hartwell BSC MSc MCIWEM C.WEM
 Review of Southern Water's DWMP

BRAVA Product	Implication	Action
Surface water management	Data is based on surface water flood maps, hydraulic models, historical flooding incidents and partnership knowledge on surface water flooding. This is useful information in terms of flood risk. However, the spatial resolution is not appropriate for use in the Sequential Test and EA surface water mapping is already used in the Test.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Nutrient Neutrality	Data sources include habitats' sites, Wastewater Treatment Works and Sewer Overflows, Wastewater Treatment Works tertiary treatment, Water Industry National Environment Programme and Water Framework Directive. These datasets could have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.
Groundwater pollution	Data is based on sewer Length / Sewer Structural Grade, Aquifer Designation Mapping, Safeguard Zone (SGZ) / Source Protection Zone (SPZ) mapping, CSOs discharging to ground, event and duration monitoring data, baseline Dry Weather Flow and groundwater infiltration. These datasets could have implications for other planning considerations which are outside the scope of this report.	It is recommended that where sites pass the first stage Level 1 test that further discussion is held with Southern Water to understand how the detailed hydraulic model data can be used for the Level 2 sewer flood risk assessment.

TECHNICAL NOTE

JBA Project Code	2023s1135
Contract	Sevenoaks District Council Level 1 SFRA
Client	Sevenoaks District Council
Date	July 2024
Author	Harriet Freestone BSc (Hons)
Reviewer / Sign-off	Ed Hartwell BSC MSc MCIWEM C.WEM
Subject	Review of Southern Water's DWMP

5 Recommendations

5.1 Sewer Risk Mapping and Data

On the basis of our understanding it is recommended that the DWMP information and mapping is not used to assess sewer flooding in the Sequential Test alongside river, sea and surface water flooding on the basis that the available information is not of appropriate resolution or format. This understanding should be addressed with Southern Water and formal confirmation obtained as necessary to support the Plan and Examination. This will be clearly stated in the Level 1 SFRA and where possible the DWMP information will be used to inform the scope of site specific FRAs.

Further consultation with Southern Water should clarify the necessity and extent to which identified DWMP sewer flood risk should be addressed at sites where this is potentially an influential matter. This can then inform the necessity to include content on sewer flood risk in a Level 2 SFRA.